



26 February 2013

International Compliance Assurance Division
Office of Federal Activities
Office of Enforcement and Compliance Assurance
US Environmental Protection Agency
Room 6144
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20004

CERTIFIED MAIL

RE: Annual Hazardous Waste Export Report

Please find attached our Annual Hazardous Waste Export Report as required under 40 CFR 262.56. Should you require any additional information, please contact me at the address or phone numbers listed below.

Sincerely,

A handwritten signature in black ink that reads 'James M. Finley'.

James M. Finley
Environmental Manager


Gerdau Special Steel North America – Fort Smith

5225 Planters Road
P.O. Box 1592
Fort Smith, AR 72902
jim.finley@gerdau.com

Phone: 479/648.5544
Fax: 479/648.5588
Cell: 479/650.5504

ARKANSAS

5225 Planters Road · Fort Smith, AR 72916-9549
Mailing Address: P.O. Box 1592 · Fort Smith, AR 72902-1592
(479) 646-0223 · fax: (479) 648-5592



2012 Annual Hazardous Waste Export Report

Exporter: Gerdau – Fort Smith Mill
5225 Planters Rd.
P.O. Box 1592
Fort Smith, AR 72902

EPA # ARD053730701

Contact: James Finley
Environmental Manager
Phone Number: (479) 648-5544

Consignee: Zinc Nacional, SA
Serafin Pena 938 Sur
6400 Monterrey N.L. Mexico
Phone Number: 011-52-83400434

Waste Shipped: RQ, Hazardous Waste Solid N.O.S., Class 9, UN3077, PGIII, (K061)
(Emission Control Dust/Sludge from Primary Production of Steel in
Electric Furnaces) ERG #171

Quantity of Waste: 14,965,100 lbs.


Number of Shipments: 81

Transporters: Fort Smith Railroad - US EPA ID Number - NED001792910
Union Pacific - US EPA ID Number - NED001792910

Waste Minimization: K061 is a byproduct from the melting and refining of steel scrap in Electric Arc Furnaces. The major component, which contributes to the toxicity of the waste, is lead. The typical lead content of K061 is approximately 5% compared to 1% for the K061 produced at our facility. The low lead content is due to the use of "clean" scrap in our operations. The volume of K061 produced per ton of steel produced, was reduced by approximately 10% in the early 1980's by changing the method by which lime is added to the furnaces. No other feasible technology is known which would further reduce either the toxicity or volume of K061 produced.

I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Gerdau – Fort Smith Mill


James Finley
Environmental Manager

2/26/13

2




Gerdau Special Steel North America
Fort Smith Mill
P.O. Box 1592
Fort Smith, AR 72902

CERTIFIED MAIL™



7009 1410 0000 7049 2255



US POSTAGE
\$ 06.11
Mailed From 72916
02/26/2013
031A 0005180229

Rm
7240

Int'l Compliance Assurance Div.
Office of Federal Activities
Office of Enforcement & Compl. Assurance
US EPA
Room 6144 - Ariel Rios Bldg.
1200 Pennsylvania Avenue, N.W.
Washington, DC 20004

20044\$6558 C770



AD-105-S/11 (SM)

70091410000070492255



Certified

Department: 2254A

Mailstop ARIEL RIOS NORTH

To: International Compliance
Assurance Division

Route EPA Mail

3 of 3